

Your source for the latest research news

Science News

from research organizations

How your mood affects the way you process language

When you're in a bad mood, you might want to focus on tasks that are more detail-oriented, such as proofreading

Date: January 13, 2023

Source: University of Arizona

Summary: When people are in a negative mood, they may be quicker to spot inconsistencies in things they

read, a new study suggests.

Share: **f y p** in **x**

FULL STORY

When people are in a negative mood, they may be quicker to spot inconsistencies in things they read, a new University of Arizona-led study suggests.

The study, published in *Frontiers in Communication*, builds on existing research on how the brain processes language.

Vicky Lai, a UArizona assistant professor of psychology and cognitive science, worked with collaborators in the Netherlands to explore how people's brains react to language when they are in a happy mood versus a negative mood.

"Mood and language seem to be supported by different brain networks. But we have one brain, and the two are processed in the same brain, so there is a lot of interaction going on," Lai said. "We show that when people are in a negative mood, they are more careful and analytical. They scrutinize what's actually stated in a text, and they don't just fall back on their default world knowledge."

Lai and her study co-authors set out to manipulate study participants' moods by showing them clips from a sad movie -- "Sophie's Choice" -- or a funny television show -- "Friends." A computerized survey was used to evaluate participants' moods before and after watching the clips. While the funny clips did not impact participants' moods, the sad clips succeeded in putting participants in a more negative mood, the researchers found.

The participants then listened to a series of emotionally neutral audio recordings of four-sentence stories that each contained a "critical sentence" that either supported or violated default, or familiar, word knowledge. That sentence was displayed one word at a time on a computer screen, while participants' brain waves were monitored by EEG, a test that measures brain waves.

For example, the researchers presented study participants with a story about driving at night that ended with the critical sentence "With the lights on, you can see more." In a separate story about stargazing, the same critical sentence was altered to read "With the lights on, you can see less." Although that statement is accurate in the context of stargazing, the idea that turning on the lights would cause a person to see less is a much less familiar concept that defies default knowledge.

The researchers also presented versions of the stories in which the critical sentences were swapped so that they did not fit the context of the story. For example, the story about driving at night would include the sentence "With the lights on, you can see less."

They then looked at how the brain reacted to the inconsistencies, depending on mood.

They found that when participants were in a negative mood, based on their survey responses, they showed a type of brain activity closely associated with re-analysis.

"We show that mood matters, and perhaps when we do some tasks we should pay attention to our mood," Lai said. "If we're in a bad mood, maybe we should do things that are more detail-oriented, such as proofreading."

Study participants completed the experiment twice -- once in the negative mood condition and once in the happy mood condition. Each trial took place one week apart, with the same stories presented each time.

"These are the same stories, but in different moods, the brain sees them differently, with the sad mood being the more analytical mood," Lai said.

The study was conducted in the Netherlands; participants were native Dutch speakers, and the study was conducted in Dutch. But Lai believes their findings translate across languages and cultures.

By design, the study participants were all women, because Lai and her colleagues wanted to align their study with existing literature that was limited to female participants. Lai said future studies should include more diverse gender representation.

In the meantime, Lai and her colleagues say mood may affect us in more ways than we previously realized.

Researcher Jos van Berkum of the Netherlands' Utrecht University, co-authored the study with Lai and Peter Hagoort of the Max Planck Institute for Psycholinguistics in the Netherlands.

"When thinking about how mood affects them, many people just consider things like being grumpy, eating more ice cream, or -- at best -- interpreting somebody else's talk in a biased way," van Berkum said. "But there's much more going on, also in unexpected corners of our minds. That's really interesting. Imagine your laptop being more or less precise as a function of its battery level -- that's unthinkable. But in human information processing, and presumably also in (information processing) of related species, something like that seems to be going on."

Story Source:

Materials provided by **University of Arizona**. Original written by Alexis Blue. *Note: Content may be edited for style and length.*

Journal Reference:

 Vicky Tzuyin Lai, Jos van Berkum, Peter Hagoort. Negative affect increases reanalysis of conflicts between discourse context and world knowledge. Frontiers in Communication, 2022; 7 DOI: 10.3389/fcomm.2022.910482

Cite This Page:	MLA	APA	Chicago
-----------------	-----	-----	---------

University of Arizona. "How your mood affects the way you process language: When you're in a bad mood, you might want to focus on tasks that are more detail-oriented, such as proofreading." ScienceDaily. ScienceDaily, 13 January 2023. www.sciencedaily.com/releases/2023/01/230113145340.htm.

Explore More from ScienceDaily

RELATED STORIES

Sleep Loss Does Not Impact Ability to Assess Emotional Information

Oct. 11, 2021 — It's no secret that going without sleep can affect people's mood, but a new study shows it does not interfere with their ability to evaluate emotional situations. It is often assumed that feeling ...

When a City Feels Good, People Take More Risks

Nov. 28, 2018 — What makes people take risks? Not stunt women or Formula 1 drivers. Just ordinary people like you and me. Research suggests that unexpected improvements in everyday life (sunshine after many days of ...

Brain Signature of Depressed Mood Unveiled in New Study

Nov. 8, 2018 — New research has identified a common pattern of brain activity that may be behind low mood feelings, particularly in people who have a tendency towards anxiety. The newly discovered network is a ...

A Bad Mood May Help Your Brain With Everyday Tasks

July 16, 2018 — New research found that being in a bad mood can help some people's executive functioning, such as their ability to focus attention, manage time and prioritize tasks. The same study found that a good ...

Free Subscriptions

Get the latest science news in your RSS reader with ScienceDaily's hourly updated newsfeeds, covering hundreds of topics:

Follow Us

Keep up to date with the latest news from ScienceDaily via social networks:

- f Facebook
- in LinkedIn

Have Feedback?

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

- Leave Feedback
- Contact Us

About This Site | Staff | Reviews | Contribute | Advertise | Privacy Policy | Editorial Policy | Terms of Use Copyright 1995-2022 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.

Content on this website is for information only. It is not intended to provide medical or other professional advice. Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners. Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.

— CCPA/CPRA: Do Not Sell or Share My Information — GDPR: Manage My Privacy Settings —